

## Author index

### Volume 49 (1995)

- Angeles, M., see Manova, K. 49, 3  
 Attisano, L., see Manova, K. 49, 3
- Bachvarova, R.F., see Manova, K. 49, 3  
 Baker, N.E., A.E. Zitron, *Drosophila* eye development: *Notch* and *Delta* amplify a neurogenic pattern conferred on the morphogenetic furrow by *scabrous* 49, 173  
 Bally-Cuif, L., M. Gulisano, V. Broccoli, E. Boncinelli, *c-otx2* is expressed in two different phases of gastrulation and is sensitive to retinoic acid treatment in chick embryo 49, 49  
 Boncinelli, E., see Bally-Cuif, L. 49, 49  
 Broccoli, V., see Bally-Cuif, L. 49, 49
- Cartwright, E.J., see Uwanogho, D. 49, 23  
 Cibert, C., see Haenlin, M. 49, 97  
 Conlon, F.L., C.V.E. Wright, E.J. Robertson, Effects of the  $T^{Wis}$  mutation on notochord formation and mesodermal patterning 49, 201  
 Crispi, S., see D'Avino, P.P. 49, 161
- D'Avino, P.P., S. Crispi, L.C. Polito, M. Furia, The role of the *BR-C* locus on the expression of genes located at the ecdysone-regulated 3C puff of *Drosophila melanogaster* 49, 161  
 De Leon, V., see Manova, K. 49, 3  
 Delot, E., see Rissi, M. 49, 223  
 Dono, R., see Riese, J. 49, 13
- Furia, M., see D'Avino, P.P. 49, 161
- Giarré, M., see Manova, K. 49, 3  
 Gulisano, M., see Bally-Cuif, L. 49, 49
- Haenlin, M., W.F. McDonald, C. Cibert, E. Mohier, The angle of the dorsoventral axis with respect to the anteroposterior axis in the *Drosophila* embryo is controlled by the distribution of *gurken* mRNA in the oocyte 49, 97  
 Healy, C., see Uwanogho, D. 49, 23
- Ibnsouda, S., F. Schweisguth, D. Jullien, C. Kücherer, J.-A. Lepesant, A. Vincent, Evolutionarily conserved positive and negative cis-acting elements control the blastoderm-specific expression of the *Drosophila serendipity*  $\alpha$  cellularisation gene 49, 71
- Jullien, D., see Ibnsouda, S. 49, 71
- Kalantry, S., see Manova, K. 49, 3  
 Kalderon, D., see Lane, M.E. 49, 191  
 Kessel, M., see Stein, S. 49, 37  
 Kücherer, C., see Ibnsouda, S. 49, 71
- Lane, M.E., D. Kalderon, Localization and functions of Protein Kinase A during *Drosophila* oogenesis 49, 191  
 Lepesant, J.-A., see Ibnsouda, S. 49, 71
- Manova, K., V. De Leon, M. Angeles, S. Kalantry, M. Giarré, L. Attisano, J. Wrana, R.F. Bachvarova, mRNAs for activin receptors II and IIB are expressed in mouse oocytes and in the epiblast of pregastrula and gastrula stage mouse embryos 49, 3  
 Martin, G.R., see Rosenquist, T.A. 49, 117  
 McDonald, W.F., see Haenlin, M. 49, 97  
 Mével-Ninio, M., R. Terracol, C. Salles, A. Vincent, F. Payre, *ovo*, a *Drosophila* gene required for ovarian development, is specifically expressed in the germline and shares most of its coding sequences with *shavenbaby*, a gene involved in embryo patterning 49, 83  
 Minoura, I., H. Nakamura, K. Tashiro, K. Shiokawa, Stimulation of circus movement by activin, bFGF and TGF- $\beta$ 2 in isolated animal cap cells of *Xenopus laevis* 49, 65  
 Mohier, E., see Haenlin, M. 49, 97  
 Mohun, T., see Wilson, R. 49, 211
- Naegeli, M., see Rissi, M. 49, 223  
 Nakamura, H., K. Tashiro, T. Nakamura, K. Shiokawa, Molecular cloning of *Xenopus* HGF cDNA and its expression studies in *Xenopus* early embryogenesis 49, 123  
 Nakamura, H., see Minoura, I. 49, 65  
 Nakamura, T., see Nakamura, H. 49, 123
- Payre, F., see Mével-Ninio, M. 49, 83  
 Pearl, G., see Uwanogho, D. 49, 23  
 Polito, L.C., see D'Avino, P.P. 49, 161  
 Poole, S.J., Conservation of complex expression domains of the *pdm-2* POU domain gene between *Drosophila virilis* and *Drosophila melanogaster* 49, 107
- Reintz, J., D.H. Sharp, Mechanism of *eve* stripe formation 49, 133  
 Rex, M., see Uwanogho, D. 49, 23  
 Riese, J., R. Zeller, R. Dono, Nucleo-cytoplasmic translocation and secretion of fibroblast growth factor-2 during avian gastrulation 49, 13  
 Rissi, M., J. Wittbrodt, E. Delot, M. Naegeli, F.M. Rosa, Zebrafish *Radar*: A new member of the TGF- $\beta$  superfamily defines dorsal regions of the neural plate and the embryonic retina 49, 223  
 Robertson, E.J., see Conlon, F.L. 49, 201  
 Rosa, F.M., see Rissi, M. 49, 223  
 Rosenquist, T.A., G.R. Martin, Visceral endoderm-1 (VE-1): an antigen marker that distinguishes anterior from posterior embryonic visceral endoderm in the early post-implantation mouse embryo 49, 117

- Salles, C., see Mével-Ninio, M. 49, 83  
Schweisguth, F., see Ibnsouda, S. 49, 71  
Scotting, P.J., see Uwanogho, D. 49, 23  
Sharp, D.H., see Reinitz, J. 49, 133  
Sharpe, P.T., see Uwanogho, D. 49, 23  
Shiokawa, K., see Minoura, I. 49, 65  
Shiokawa, K., see Nakamura, H. 49, 123  
Stein, S., M. Kessel, A homeobox gene involved in node, notochord and neural plate formation of chick embryos 49, 37  
  
Tashiro, K., see Minoura, I. 49, 65  
Tashiro, K., see Nakamura, H. 49, 123  
Terracol, R., see Mével-Ninio, M. 49, 83  
  
Uwanogho, D., M. Rex, E.J. Cartwright, G. Pearl, C. Healy, P.J.  
  
Scotting, P.T. Sharpe, Embryonic expression of the chicken *Sox2*, *Sox3* and *Sox11* genes suggests an interactive role in neuronal development 49, 23  
  
Vincent, A., see Ibnsouda, S. 49, 71  
Vincent, A., see Mével-Ninio, M. 49, 83  
  
Wilson, R., T. Mohun, XIdx, A dominant negative regulator of bHLH function in early *Xenopus* embryos 49, 211  
Wittbrodt, J., see Rissi, M. 49, 223  
Wrana, J., see Manova, K. 49, 3  
Wright, C.V.E., see Conlon, F.L. 49, 201  
  
Zeller, R., see Riese, J. 49, 13  
Zitron, A.E., see Baker, N.E. 49, 173

## Subject index

### Volume 49 (1995)

**Activin**; Circus movement; Dissociated cells; *Xenopus* embryos; bFGF; TGF- $\beta$ 2; Follistatin 49, 65

**Activin receptor**; Mouse embryos 49, 3

**Anterior brain**; Chick; Homeobox; Gastrulation; Primitive streak 49, 49

**Anterior-posterior polarity**; Mouse embryo; VE-1; Visceral endoderm 49, 117

**Avian gastrulation**; bFGF; Extra-cellular; FGF-2; Heparin; Mesoderm induction; Nuclear; Primitive streak formation; Suramin 49, 13

**Axes positioning**; *Drosophila*; Embryo; Oogenesis; *K10-gurken* 49, 97

**bFGF**; Avian gastrulation; Extra-cellular; FGF-2; Heparin; Mesoderm induction; Nuclear; Primitive streak formation; Suramin 49, 13

**bFGF**; Circus movement; Dissociated cells; *Xenopus* embryos; Activin; TGF- $\beta$ 2; Follistatin 49, 65

**Brachyury (T)**; Mouse; Mesoderm; Notochord; Somite 49, 201

**Broad-Complex**; *D. melanogaster*; Intermoult puff; Ecdysone; Salivary glands; Gene cluster 49, 161

**cDNA cloning**; *Xenopus*; Hepatocyte growth factor (HGF); Mesenchyme; Mesoderm induction 49, 123

**Cellularisation**; *daughterless*; *Drosophila*; *serendipity*  $\alpha$ ; Transcriptional control 49, 71

**Chick**; *Sox* genes; SRY-box; Neuronal development 49, 23

**Chick**; Homeobox; Gastrulation; Primitive streak; Anterior brain 49, 49

**Circus movement**; Dissociated cells; *Xenopus* embryos; Activin; bFGF; TGF- $\beta$ 2; Follistatin 49, 65

**Computational biology**; Even-skipped; Gene circuit; Simulated annealing; *Drosophila*; RNA localization; Gene regulation 49, 133

**Cytoskeleton**; Protein Kinase A; Oogenesis; Intercellular bridges; *Drosophila* 49, 191

***D. melanogaster***; **Broad-Complex**; Intermoult puff; Ecdysone; Salivary glands; Gene cluster 49, 161

***Daughterless***; Cellularisation; *Drosophila*; *serendipity*  $\alpha$ ; Transcriptional control 49, 71

**Delta**; *Drosophila* eye; Scabrous; Notch 49, 173

**Dissociated cells**; Circus movement; *Xenopus* embryos; Activin; bFGF; TGF- $\beta$ 2; Follistatin 49, 65

***Drosophila***; Cellularisation; *daughterless*; *serendipity*  $\alpha$ ; Transcriptional control 49, 71

***Drosophila***; Even-skipped; Gene circuit; Simulated annealing; Computational biology; RNA localization; Gene regulation 49, 133

***Drosophila***; Evolution; Segmentation; Neurogenesis; POU domain 49, 107

***Drosophila* germline**; *ovo*; *shavenbaby*; Oogenesis; Overlapping genes 49, 83

***Drosophila* eye**; Scabrous; Notch; Delta 49, 173

***Drosophila***; Embryo; Oogenesis; Axes positioning; *K10-gurken* 49, 97

***Drosophila***; Protein Kinase A; Oogenesis; Intercellular bridges; Cytoskeleton 49, 191

**Ecdysone**; *D. melanogaster*; **Broad-Complex**; Intermoult puff; Salivary glands; Gene cluster 49, 161

**Embryo**; *Drosophila*; Oogenesis; Axes positioning; *K10-gurken* 49, 97

**Even-skipped**; Gene circuit; Simulated annealing; Computational biology; *Drosophila*; RNA localization; Gene regulation 49, 133

**Evolution**; *Drosophila*; Segmentation; Neurogenesis; POU domain 49, 107

**Extra-cellular**; Avian gastrulation; bFGF; FGF-2; Heparin; Mesoderm induction; Nuclear; Primitive streak formation; Suramin 49, 13

**FGF-2**; Avian gastrulation; bFGF; Extra-cellular; Heparin; Mesoderm induction; Nuclear; Primitive streak formation; Suramin 49, 13

**Follistatin**; Circus movement; Dissociated cells; *Xenopus* embryos; Activin; bFGF; TGF- $\beta$ 2 49, 65

**Gastrulation**; Chick; Homeobox; Primitive streak; Anterior brain 49, 49



- Gastrulation**; Homeobox; Node; Primitive streak; Notochord 49, 37
- Gene circuit**; Even-skipped; Simulated annealing; Computational biology; *Drosophila*; RNA localization; Gene regulation 49, 133
- Gene cluster**; *D. melanogaster*; *Broad-Complex*; Intermoult puff; Ecdysone; Salivary glands 49, 161
- Gene regulation**; Even-skipped; Gene circuit; Simulated annealing; Computational biology; *Drosophila*; RNA localization 49, 133
- Helix-loop-helix**; *Xenopus*; Id proteins; Neurogenesis 49, 211
- Heparin**; Avian gastrulation; bFGF; Extra-cellular; FGF-2; Mesoderm induction; Nuclear; Primitive streak formation; Suramin 49, 13
- Hepatocyte growth factor (HGF)**; *Xenopus*; cDNA cloning; Mesenchyme; Mesoderm induction 49, 123
- Homeobox**; Chick; Gastrulation; Primitive streak; Anterior brain 49, 49
- Homeobox**; Gastrulation; Node; Primitive streak; Notochord 49, 37
- Hypochord**; Induction; TGF- $\beta$ ; Zebrafish; Neural crest; Retina 49, 223
- Id proteins**; *Xenopus*; Helix-loop-helix; Neurogenesis 49, 211
- Induction**; TGF- $\beta$ ; Zebrafish; Neural crest; Retina; Hypochord 49, 223
- Intercellular bridges**; Protein Kinase A; Oogenesis; Cytoskeleton; *Drosophila* 49, 191
- Intermoult puff**; *D. melanogaster*; *Broad-Complex*; Ecdysone; Salivary glands; Gene cluster 49, 161
- K10-gurken**; *Drosophila*; Embryo; Oogenesis; Axes positioning 49, 97
- Mesenchyme**; *Xenopus*; Hepatocyte growth factor (HGF); cDNA cloning; Mesoderm induction 49, 123
- Mesoderm**; Mouse; Brachyury (T); Notochord; Somite 49, 201
- Mesoderm induction**; *Xenopus*; Hepatocyte growth factor (HGF); cDNA cloning; Mesenchyme 49, 123
- Mesoderm induction**; Avian gastrulation; bFGF; Extra-cellular; FGF-2; Heparin; Nuclear; Primitive streak formation; Suramin 49, 13
- Mouse**; Brachyury (T); Mesoderm; Notochord; Somite 49, 201
- Mouse embryo**; Anterior-posterior polarity; VE-1; Visceral endoderm 49, 117
- Mouse embryos**; Activin receptor 49, 3
- Neural crest**; Induction; TGF- $\beta$ ; Zebrafish; Retina; Hypochord 49, 223
- Neurogenesis**; *Drosophila*; Evolution; Segmentation; POU domain 49, 107
- Neurogenesis**; *Xenopus*; Id proteins; Helix-loop-helix 49, 211
- Neuronal development**; *Sox* genes; SRY-box; Chick 49, 23
- Node**; Homeobox; Gastrulation; Primitive streak; Notochord 49, 37
- Notch**; *Drosophila* eye; Scabrous; Delta 49, 173
- Notochord**; Homeobox; Gastrulation; Node; Primitive streak 49, 37
- Notochord**; Mouse; Brachyury (T); Mesoderm; Somite 49, 201
- Nuclear**; Avian gastrulation; bFGF; Extra-cellular; FGF-2; Heparin; Mesoderm induction; Primitive streak formation; Suramin 49, 13
- Oogenesis**; *Drosophila*; Embryo; Axes positioning; K10-gurken 49, 97
- Oogenesis**; *ovo*; *shavenbaby*; *Drosophila* germline; Overlapping genes 49, 83
- Oogenesis**; Protein Kinase A; Intercellular bridges; Cytoskeleton; *Drosophila* 49, 191
- Overlapping genes**; *ovo*; *shavenbaby*; *Drosophila* germline; Oogenesis 49, 83
- Ovo**; *shavenbaby*; *Drosophila* germline; Oogenesis; Overlapping genes 49, 83
- POU domain**; *Drosophila*; Evolution; Segmentation; Neurogenesis 49, 107
- Primitive streak**; Chick; Homeobox; Gastrulation; Anterior brain 49, 49
- Primitive streak**; Homeobox; Gastrulation; Node; Notochord 49, 37
- Primitive streak formation**; Avian gastrulation; bFGF; Extra-cellular; FGF-2; Heparin; Mesoderm induction; Nuclear; Suramin 49, 13
- Protein Kinase A**; Oogenesis; Intercellular bridges; Cytoskeleton; *Drosophila* 49, 191
- Retina**; Induction; TGF- $\beta$ ; Zebrafish; Neural crest; Hypochord 49, 223
- RNA localization**; Even-skipped; Gene circuit; Simulated annealing; Computational biology; *Drosophila*; Gene regulation 49, 133
- Salivary glands**; *D. melanogaster*; *Broad-Complex*; Intermoult puff; Ecdysone; Gene cluster 49, 161
- Scabrous**; *Drosophila* eye; Notch; Delta 49, 173
- Segmentation**; *Drosophila*; Evolution; Neurogenesis; POU domain 49, 107
- Serendipity**  $\alpha$ ; Cellularisation; *daughterless*; *Drosophila*; Transcriptional control 49, 71

**Shavenbaby**; *ovo*; *Drosophila* germline; Oogenesis; Overlapping genes 49, 83

**Simulated annealing**; Even-skipped; Gene circuit; Computational biology; *Drosophila*; RNA localization; Gene regulation 49, 133

**Somite**; Mouse; Brachyury (T); Mesoderm; Notochord 49, 201

**Sox genes**; SRY-box; Neuronal development; Chick 49, 23

**SRY-box**; *Sox* genes; Neuronal development; Chick 49, 23

**Suramin**; Avian gastrulation; bFGF; Extra-cellular; FGF-2; Heparin; Mesoderm induction; Nuclear; Primitive streak formation 49, 13

**TGF- $\beta$** ; Induction; Zebrafish; Neural crest; Retina; Hypochord 49, 223

**TGF- $\beta$ 2**; Circus movement; Dissociated cells; *Xenopus* embryos; Activin; bFGF; Follistatin 49, 65

**Transcriptional control**; Cellularisation; *daughterless*; *Drosophila*; *serendipity*  $\alpha$  49, 71

**VE-1**; Anterior-posterior polarity; Mouse embryo; Visceral endoderm 49, 117

**Visceral endoderm**; Anterior-posterior polarity; Mouse embryo; VE-1 49, 117

**Xenopus**; Id proteins; Helix-loop-helix; Neurogenesis 49, 211

**Xenopus**; Hepatocyte growth factor (HGF); cDNA cloning; Mesenchyme; Mesoderm induction 49, 123

**Xenopus embryos**; Circus movement; Dissociated cells; Activin; bFGF; TGF- $\beta$ 2; Follistatin 49, 65

**Zebrafish**; Induction; TGF- $\beta$ ; Neural crest; Retina; Hypochord 49, 223